

# Garage Doors

Steel, Aluminium & GRP



*inspiration* for your home

**Wickes**

## Convenience & Security

Wickes offers an extensive range of Garage Doors in a number of styles and sizes. You can choose from Steel or low maintenance GRP (Glass Reinforced Polyester) and from three types of opening mechanism (Canopy, Retractable or Roller). In addition you can also choose to have your Garage Doors open at the touch of a button with our Openers.

### Material Options

#### Steel

Steel Garage Doors are made from premium grade galvanised steel and are strong and lightweight, offering exceptional value. Corrosion protected, the doors are supplied in a “ready to paint” primed finish.

#### Aluminium

Our Aluminium Doors are insulated for thermal efficiency and are factory finished with a corrosion resistant powder coating. Particularly suitable for garages which are used as workshops/gyms etc, or those with living space above.

#### GRP (Glass Reinforced Polyester)

Glass Reinforced Polyester (also known as fibreglass or glassfibre) is an ideal material for garage doors. It is remarkably strong, stable and durable and is the same material from which modern yachts are constructed. It won't rust, split or rot and resists minor bumps and knocks.

### Door Opening Mechanism Options

#### Canopy

Canopy Doors open “up and over” on arms that run in tracks at each side of the door. In the open position the door partially retracts into the garage with a large part of the door protruding creating a ‘canopy’ effect. Please see page 9 for full details.

#### Retractable

Retractable Doors open “up and over” on solid arms that run in tracks fitted at the top of the door and back into the garage. The door is almost totally ‘retracted’ into the garage. It is smoother operating and more robust than a Canopy Opener. Please see page 9 for full details.

#### Roller

Roller Doors open vertically in tracks at the side of the garage and roll onto a barrel at the top of the door. Particularly suitable for short driveways where space is limited, Garage Door Openers are standard on Roller Doors. Please see page 5 for full details.

### Garage Door Openers

All Wickes Garage Doors can be installed with electric Openers, which are available separately (apart from Roller Doors, which include Openers as standard). Canopy Doors require an additional Canopy Arm to be used with an Opener. Please see page 10 for full details.

### Frames

All our Garage Doors (except the Aluminium Roller Doors, Georgian Doors available to Take Away and doors over 8' approx.) are available framed. Please see page 11 for details.





## **Steel Doors**

Page 4



## **Aluminium Roller Doors**

Page 5



## **GRP Woodgrain-Effect Doors**

Page 6



## **GRP White Gloss Doors**

Page 7 & 8



## **Door Mechanism Options**

Page 9

## **Garage Door Openers**

Page 10

## **How to Order**

Page 11

# Steel Doors

Steel Garage Doors are made from premium grade galvanised steel and are strong and lightweight. Corrosion protected, the doors are supplied pre-primed in white ready for undercoating and finishing. Available To Order in Canopy and Retractable options. See our in-store range of exterior paints for the ideal finishing touch.



- Strong galvanised steel construction.
- Primed ready to paint to match your colour scheme.
- Complementary frames available.
- Available in Canopy (up to 8' wide) and Retractable (all sizes).
- Can be automated by using Garage Door Openers. Please see page 10 for full details.
- Available pre-hung in a frame, please see page 11 and the Price List for full details. Excludes 14' size.

**Georgian** (Available in Canopy only)

**Width options:** 7' (2134mm)

**Height options:** 6'6" (1981mm) / 7' (2134mm)



**Forster** (Retractable shown)

**Width options:** 6'6" (1981mm) / 7' (2134mm) / 7'6" (2286mm) / 8' (2438mm) / 14' (4267mm)▲

**Height options:** 6'6" (1981mm) / 7' (2134mm)



**Byron** (Canopy shown)

**Width options:** 6'6" (1981mm) / 7' (2134mm) / 7'6" (2286mm) / 8' (2438mm) / 14' (4267mm)▲

**Height options:** 6'6" (1981mm) / 7' (2134mm)

▲14' Available in Retractable only.

\*This does not affect your statutory rights

All sizes refer to the internal frame opening size into which the door is to be installed.

Roller Doors open vertically in tracks at the side of the garage and roll onto a barrel at the top of the door. Ideal for short driveways or where there is pedestrian traffic as there is no out swing. The insulation and weather sealing also mean this option is ideal for garages which are used as workshops/gyms etc, or those with living space above.



## Swift Automatic Aluminium Roller Door

**Width options:** 7' (2134mm) / 14' (4267mm)

**Height options:** 6'6" (1981mm) / 7' (2134mm)

- Remote control powered operation comes as standard.
- Doors can be fitted behind the brickwork opening, allowing removal of existing frames and increasing drive-through width by up to 150mm.
- Horizontal slats have a low maintenance powder coated finish.
- Insulated panels reduce heat and sound transmission.
- Guide tracks and bottom rubber seal provide an effective barrier to the elements.
- No exterior lock to pick or force.
- The ultra-compact roll allows maximum use of roof space inside the garage.
- Somfy 220-240V AC motor guaranteed for 5 years\* and exterior finish guaranteed for 10 years.\*
- Fully finished in white.
- Available To Order.

\*This does not affect your statutory rights  
All sizes refer to the internal frame opening size into which the door is to be installed.



# GRP Woodgrain-Effect Doors

Glass Reinforced Polyester (also known as fibreglass or glassfibre) is an ideal material for Garage Doors. It is remarkably strong, stable and durable and is the same material from which modern yachts are made.



**Bronte** (Canopy in Mahogany shown) (Window effect).

**Width options:** 7' (2134mm) / 7'6" (2286mm) / 8' (2438mm) / 14' (4267mm)▲

**Height options:** 6'6" (1981mm) / 7' (2134mm)

- Won't rust, split or rot.
- Resists minor bumps and knocks without denting.
- No joins, seams, rivets or welds visible on the face of the door.
- High Gloss White Doors are UV stable and wipe clean.
- Woodgrain doors faithfully reproduce the subtleties of timber without the need for maintenance and are wipe clean.

The following options are available:

1. Light Oak, Dark Oak or Mahogany finishes
2. Canopy or Retractable opening mechanisms
3. Manual or Automated opening (see page 10 for details)
4. With or without frame (see page 11 for details)



**Browning** (Retractable in Dark Oak shown)

**Width options:** 7' (2134mm) / 7'6" (2286mm) / 8' (2438mm) / 14' (4267mm)▲

**Height options:** 6'6" (1981mm) / 7' (2134mm)

▲14' Available in Retractable only.

\*This does not affect your statutory rights

All sizes refer to the internal frame opening size into which the door is to be installed.

# GRP White Gloss Doors

There are 6 styles of fully finished High Gloss White Doors to choose from, shown on pages 7 and 8. Available To Order in Retractable and Canopy options.



**Carlyle** (Retractable shown)

**Width options:** 6'6" (1981mm) / 7' (2134mm) / 7'6" (2286mm) / 8' (2438mm) / 14' (4267mm)▲

**Height options:** 6'6" (1981mm) / 7' (2134mm)



**Marlow** (Retractable shown)

**Width options:** 6'6" (1981mm) / 7' (2134mm) / 7'6" (2286mm) / 8' (2438mm) / 14' (4267mm) ▲

**Height options:** 6'6" (1981mm) / 7' (2134mm)



- All these doors can be automated by using Garage Door Openers. Please see page 10 for full details.
- All doors are available pre-hung in a frame, should you require them, please see page 11 and the Price List for full details. Excludes 14' size.

**Bronte** (Retractable shown) (window effect)

**Width options:** 6'6" (1981mm) / 7' (2134mm) / 7'6" (2286mm) / 8' (2438mm) / 14' (4267mm)▲

**Height options:** 6'6" (1981mm) / 7' (2134mm)

Also available as a woodgrain option. See page 6 for details



▲14' Available in Retractable only.

\*This does not affect your statutory rights

All sizes refer to the internal frame opening size into which the door is to be installed.

# GRP White Gloss Doors



**Fielding** (Retractable shown)

**Width options:** 6'6" (1981mm) / 7' (2134mm) / 7'6" (2286mm) / 8' (2438mm) / 14' (4267mm)▲

**Height options:** 6'6" (1981mm) / 7' (2134mm)



**Shaw** (Canopy shown)

**Width options:** 7' (2134mm) / 7'6" (2286mm) / 8' (2438mm) / 14' (4267mm)▲

**Height options:** 6'6" (1981mm) / 7' (2134mm)



**Georgian** (Canopy only)

- available to Take Away

**Width options:** 7' (2134mm)

**Height options:** 6'6" (1981mm) / 7' (2134mm)

1. All these doors can be automated by using Garage Door Openers. Please see page 10 for full details.
2. All doors are available pre-hung in a frame, should you require them, please see page 10 and the Price List for full details. Excludes 14' size.

▲14' Available in Retractable only.

\*This does not affect your statutory rights

All sizes refer to the internal frame opening size into which the door is to be installed.


## Canopy Door Operation

This is the most popular and easy to fit. Canopy Doors open “up and over” on arms that run in tracks at each side of the door. Opening is assisted by a spring that runs across the top of the door. When open, approximately a third of the door protrudes from the front of the opening forming a canopy.

Locking includes spindle clamps, which secure the lower section of the door and enclose the rollers into the tracks. This helps prevent a common method of forced entry on Canopy Doors, involving attacking the door from the side and levering the rollers out of the tracks.

Canopy Doors require an adaptor (Canopy Arm) to allow them to be used with a Garage Door Opener. Clear drive-through width will be the same as the door opening size.

### Canopy Door Operation




- Simple DIY installation.
- Light, easy spring-assisted operation.
- No intrusion of tracks onto the garage space.
- Secure multipoint locking.
- Available pre-framed as an option. Excludes 14' size.

### Retractable Door Operation

Retractable Doors open “up and over” on solid arms that run in tracks fitted at the top of the door and back into the garage. Opening is assisted by multiple springs at each side and the door is almost totally ‘retracted’ into the garage. Retractable Doors are much better suited to being used with Garage Door Openers (a Canopy Arm is not required).

- Simple DIY installation.
- Very smooth spring-assisted operation.
- Multiple springs for added safety.
- Tracked operation for durability and robustness.
- Secure multipoint locking.
- Designed and ready for automation without requiring an adaptor.
- Available pre-framed as an option. Excludes 14' size.

### Retractable Door Operaton



### Roller Garage Door Operation

See page 5 for details

# Garage Door Openers

These allow you to automate your Garage Doors. They are convenient, simple to install and offer advanced safety and security for your home.



## Chain Drive Opener

70Kg pull capacity, suitable for Garage Doors up to 8' in width.

### Features

- High security remote control Keyfob with “rolling code” tamper-proof technology.
- Protector System® Safety Sensors – projects an invisible beam across the door opening and automatically reverses the door if anything interrupts the beam.
- Automatic Safety Sensors reverse the door automatically if it is obstructed going down and stop the door if it is obstructed going up.
- Security Locking Mechanism locks the door if it detects the door being forced open. It also applies force downwards to make forcing it open more difficult.

## Belt Drive Opener

Quieter operation than the Chain Driver and therefore ideal for homes where there is a bedroom or office above the garage.

80Kg pull capacity, suitable for Garage Doors up to 14' in width.

### Features

- 2 x High Security Remote Control Keyfobs with “rolling code” tamper-proof technology.
- Automatic Safety Sensors reverse the door automatically if it is obstructed going down and stop the door if it is obstructed going up.
- Security Locking Mechanism locks the door if it detects the door being forced open. It also applies force downwards to make forcing it open more difficult.
- Multi-function Control Panel (not shown) - positioned on the wall inside your garage. Allows you to open/close your Garage Door and operates/programs the courtesy light on the Opener. Also locks out all outside radio signals for added safety whilst you are away.
- Wireless Keyless Entry Pad – can be positioned outside the garage. Enter your garage without a Keyfob by inputting a four-digit code.



## Accessories available:

156-105 – Single Channel Transmitter – this is ideal for clipping onto your visor within the car in addition to, or as a replacement for, the Keyfob supplied.

156-106 – Replacement Remote Control Keyfob.

156-107 – Wireless Keyless Entry Pad can be used with either the Chain Drive or Belt Drive Opener.

203-008 – Canopy Arm – for use with Canopy Doors when using with Mechanical Openers.

## Frames

Up and over Canopy and Retractable Garage Doors in steel and GRP are available pre-framed for easier installation (Roller Garage Doors do not require a frame and are supported by the guide tracks and barrel plates). The steel frames are available in white or brown finish to complement white or woodgrain doors, or a primed finish ready for painting. Excludes doors over 8' approx.

- Replaces existing 70mm timber frames.
- Corrosion-protected frames won't warp, rot or twist over time.
- Plastisol frames provide a complete low-maintenance solution.
- Frames are pre-fitted to single doors for very simple installation.

## How to Order – It is easy to place an order.

- Step 1** Select the style and size of Garage Door that you want from the Brochure. Pick up a copy of the Price List and Good Idea Leaflet 27 to get an idea of specification and price.
- Step 2** Decide whether you want to have the door framed (please see above).
- Step 3** Decide whether you want a Garage Door Opener and chose which one you want.
- Step 4** Visit your local Wickes Store and speak to one of our Design Consultants who will be able to offer any advice that you may need. Please ensure that you take with you as much detail as possible on the size of the opening available.
- Step 5** The Design Consultant will place your order (GRP Georgian is available to Take Away).

**Your Garage Door will be delivered to your home within 25 working days.**



### Delivery Service

To save you the hassle and worry of transporting your chosen Garage Door, we offer a convenient delivery service. We will deliver your Garage Door to your home within 25 working days, FREE. This excludes the two Take Away Garage Doors which are available in-store.



### Help and Advice

Good Idea Leaflet 27 will show you how to specify and install a Wickes Garage Door. Pick up a copy in-store or download it from our website at [www.wickes.co.uk](http://www.wickes.co.uk).




### Garage Doors Price List

The Price List is available to pick up in-store or download it from our website at [www.wickes.co.uk](http://www.wickes.co.uk).


# *inspiration* for your home



Page 4



Page 6



Page 8



Page 5



Page 7



Page 10

**Wickes have many other product Brochures and Price Lists that may be useful too. Pick up a FREE Brochure in-store today or call our Freephone Brochure line:**

**0500 300 328**

Wickes Building Supplies Limited, 120-138 Station Road, Harrow, Middlesex HA1 2QB  
Customer Service Number 08706 089 001

Wickes take every care to ensure that the product design, descriptions, specifications and techniques of constructing our products are accurate at the date of printing. We constantly strive to improve our products and this may result, from time to time, in changes to our ranges. Please check that design, descriptions, specifications and techniques of construction described in the Brochure are still valid at the time of purchase. Colours in this brochure are as accurate as the print process will allow.

© Wickes Building Supplies Limited 2007. All rights reserved. No part of this Brochure may be transmitted in any form or by any means electronic, mechanical, photocopying, recordings or otherwise or stored in any retrieval system of any nature without the written permission of the copyright holder and the publisher.

**Wickes**